

Issue Date 21-Aug-2012

Revision Date 3-Mar-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Smart Strip Pro

Other Means of Identification

SDS # DCI-66

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Paint remover.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Dumond Chemicals, Inc.
 83 General Warren Blvd
 Suite 190
 Malvern, PA 19355

Emergency Telephone Number

Company Phone Number 1-609-655-7700
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
---------------------------	------------

Signal Word

Warning

Hazard Statements

Causes skin irritation



Appearance White paste

Physical State Paste

Odor Slight characteristic odor

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed
 May be harmful in contact with skin

Other Hazards

Toxic to aquatic life with long lasting effects
 Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-60
Benzyl alcohol	100-51-6	30-50
Titanium dioxide	13463-67-7	1-5
Formic acid	64-18-6	1-5

4. FIRST AID MEASURES**First Aid Measures**

Inhalation	Remove to fresh air. Oxygen or artificial respiration if needed. Get medical attention if necessary.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if necessary.
Ingestion	If conscious give 2 glasses of water to dilute. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if necessary.
Skin Contact	Wash thoroughly with soap and water until no traces of the chemical remain. Remove contaminated clothing and shoes. Get medical attention if irritation occurs.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms	May cause skin and eye irritation. May be harmful if absorbed through the skin. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract.
-----------------	---

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical or CO₂.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Sealed containers may rupture when heated. At elevated temperatures, vapors may form explosive mixtures with air in confined areas. Decomposition may be hazardous. Cool containers exposed to flames with water until well after the fire is out.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Wear appropriate protective clothing and equipment to prevent contact.
Environmental Precautions	See Section 12 for additional ecological information. Do not allow into any sewer, on the ground or into any body of water.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Scoop up and collect with an inert absorbent and place into closable containers for disposal. Wash spill area with plenty of water. Spills and releases may have to be reported to Federal and/or local authorities. See section 15.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Use personal protective equipment as required. Remove Personal Protective Equipment immediately after handling this product. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Protect container from physical damage. Follow all SDS/label precautions even after container is emptied because it may retain product residues.
--------------------------------	--

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions	Keep in a dry, cool and well-ventilated place. Keep away from oxidizers and incompatible materials.
Incompatible Materials	Strong acids. Bases. strong oxidizers and reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³ In Powder Form	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³
Formic acid 64-18-6	STEL: 10 ppm TWA: 5 ppm	TWA: 5 ppm TWA: 9 mg/m ³ (vacated) TWA: 5 ppm (vacated) TWA: 9 mg/m ³	IDLH: 30 ppm TWA: 5 ppm TWA: 9 mg/m ³

Appropriate Engineering Controls

Engineering Controls For operations where contact can occur, a safety shower and an eye wash facility should be available. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions.

Individual Protection Measures, such as Personal Protective Equipment

- Eye/Face Protection** Chemical safety goggles/faceshield. Do not wear contact lenses.
- Skin and Body Protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Butyl rubber or other impervious gloves are required.
- Respiratory Protection** None needed under normal use conditions with adequate ventilation. If the occupational exposure limits are exceeded, a NIOSH approved respirator with acid gas cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

<p>Physical State Appearance Color</p>	<p>Paste White paste White</p>	<p>Odor Odor threshold</p>	<p>Slight characteristic odor 28.2 ppm (formic acid)</p>
---	--	--	--

Property	Values	Remarks • Method
pH	2	
Melting point/freezing point	Not available	
Boiling point/boiling range	Not available	
Flash point	None	
Evaporation rate	Not determined	
Flammability (solid, gas)	Not determined	
Flammability limits in air		
Upper flammability limits	Not available	
Lower flammability limit	Not available	
Vapor pressure	Not determined	
Vapor density	Not determined	
Specific gravity	1.085	
Water solubility	Partially soluble	
Solubility in other solvents	Not determined	
Partition coefficient	Not available	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic viscosity	Not determined	
Explosive properties	Not determined	
Oxidizing Properties	Not determined	

Other Information

VOC Content	35.2 g/l
VOC Content (%)	5%
VOC Content	0.5 lbs/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong acids. Bases. strong oxidizers and reducing agents.

Hazardous Decomposition ProductsCarbon monoxide. Carbon dioxide (CO₂). Nitrogen oxides (NO_x). May oxidize with air to form benzaldehyde and benzoic acid.**11. TOXICOLOGICAL INFORMATION****Information on Likely Routes of Exposure**

Product Information	The product has not been tested
Inhalation	Avoid breathing vapors or mists.
Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin. Causes skin irritation.
Ingestion	May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Formic acid 64-18-6	= 730 mg/kg (Rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms May cause skin and eye irritation. May be harmful if absorbed through the skin. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7		Group 2B		X

Numerical Measures of Toxicity- Product

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2708 mg/kg
 ATEmix (dermal) 5000 mg/kg
 ATEmix (inhalation-dust/mist) 22 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Formic acid 64-18-6	25: 96 h Desmodesmus subspicatus mg/L EC50 26.9: 72 h Desmodesmus subspicatus mg/L EC50	175: 24 h Lepomis macrochirus mg/L LC50 static	EC50 = 46.7 mg/L 17 h	120: 48 h Daphnia magna mg/L EC50 138 - 165.6: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability

Material is readily biodegradable.

Bioaccumulation

The product has low potential for bioaccumulation.

Mobility

Not determined.

Chemical Name	Partition coefficient
Benzyl alcohol 100-51-6	1.1
Formic acid 64-18-6	-0.54

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formic acid 64-18-6	U123	Included in waste streams: K009, K010		U123

Chemical Name	California Hazardous Waste Status
Formic acid 64-18-6	Toxic Corrosive

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances
<u>DOT</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards 2	Flammability 1	Instability 0	Special Hazards Not determined
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical Hazards Not determined	Personal Protection Not determined

Issue Date 21-Aug-2012
Revision Date 12-Dec-2012
Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet